

Annex- A TO

Tender No 23.27.0000.166.162.3256105.21.22

Date 11-10-2021

NECESSARY DETAILS

Ser	Nomenclature & Specification	Unit	Qty	Rates (Taka) (In figure & word)	Rmks
1.	Indentor Diamond Core Size: 120 Degree Country of Origin: Group B	No	30		
2.	Grinding Wheel Dresser Size : 2 caret Country of Origin: Group B	No	150		
3.	Diamond Wheel Dresser Size: 2.5 Caret Country of Origin: Group B	No	60		
4.	Grinding Wheel Dresser Size: 3.0 Caret Country of Origin: Group B	No	10		
5.	Diamond Wheel Dresser Size: 2 Caret Country of Origin: Group B	No	20		
6.	Diamond Wheel Dresser, Blade Type Size: 5 Diamond in a line, Diamond Radius 0.45 mm Country of Origin: Group A	No	10		
7.	HSS Twist Drill Bit Taper Shank Size : Dia 18 mm, Minimum flute length 130mm, Hardness: HRC 58~62 (min), Country of Origin: Any Country	No	06		
8.	HSS Twist Drill Bit Taper Shank Size : Dia 35 mm, Minimum flute length 190mm Hardness: HRC 58~62 (min), Country of Origin: Any Country	No	02		
9.	Single Angle Milling Cutter Size: Dia 45x16x60 Degree Country of Origin: Group A	No	10		

Ser	Nomenclature & Specification	Unit	Qty	Rates (Taka) (In figure & word)	Rmks
10.	Single Angle Milling Cutter Size: Dia 45x16x70 Degree Country of Origin: Group A	No	10		
11.	Twist Drill Straight Shank Size: Dia 2.7 mm Country of Origin: Group A	No	10		
12.	HSS Twist Drill Straight Shank Size: 3.9 mm Country of Origin: Group B	No	100		
13.	HSS Twist Drill Straight Shank Size: Dia 11.5 mm Country of Origin: Group A	No	05		
14.	HSS Twist Drill Bit Straight Shank Size : Dia 5.2 mm, Minimum flute length 87mm, Hardness: HRC 58~62 (min) Country of Origin: Group A	No	20		
15.	HSS Twist Drill Bit Straight Shank Size : Dia 4.8 mm, Minimum flute length 87mm, Hardness: HRC 58~62 (min) Country of Origin: Any Country	No	10		
16.	Twist Drill Straight Shank Size: Dia 6.2 mm Country of Origin: Group A	No	10		
17.	HSS Twist Drill Bit Straight Shank Size: Dia8.0mm, Minimum flute length 109mm, Hardness: HRC 58~62 (min) Country of Origin: Group A	No	20		
18.	Twist Drill Straight Shank Size: Dia 10.5 mm Country of Origin: Group A	No	20		
19.	HSS Twist Drill Straight Shank Size: Dia 3.3 mm Country of Origin: Group A	No	10		

Ser	Nomenclature & Specification	Unit	Qty	Rates (Taka) (In figure & word)	Rmks
20.	HSS Twist Drill Bit Straight Shank Size : Dia 6 mm, Minimum flute length 91mm, Hardness: HRC 58~62 (min) Country of Origin: Group A	No	30		
21.	Twist Drill Straight Shank Size: Dia 6.7 mm Country of Origin: Group A	No	10		
22.	HSS Twist Drill Bit Straight Shank Size : Dia 7 mm, Minimum flute length 102mm, Hardness: HRC 58~62 (min) Country of Origin: Group A	No	25		
23.	HSS Twist Drill Bit Straight Shank Size :Dia 14 mm, Minimum flute length 108mm, Hardness: HRC 58~62 (min) Country of Origin: Group A	No	10		
24.	HSS Twist Drill Straight Shank Size: Dia 14.5 mm Country of Origin: Group A	No	05		
25.	HSS Twist Drill Straight Shank Size: Dia 16.8 mm Country of Origin: Group A	No	10		
26.	HSS Twist Drill Straight Shank Size: Dia 17 mm Country of Origin: Group A	No	05		
27.	Straight Shank Drill Size : 3.7 mm Country of Origin: Group A	No	200		
28.	HSS Twist Drill Straight Shank Size: Dia 4.2 mm Country of Origin: Group B	No	15		
29.	Twist Drill Straight Shank Size: Dia 4.40 mm Country of Origin: Group A	No	08		

Ser	Nomenclature & Specification	Unit	Qty	Rates (Taka) (In figure & word)	Rmks
30.	Twist Drill Straight Shank Size: Dia 0.50 mm Country of Origin: Group A	No	70		

বিঃ দ্রঃ

- ক। উল্লেখিত দর CD & VAT ব্যতীত দাখিল করতে হবে। প্রয়োজনবোধে পণ্য খালসের জন্য বিওএফ এর নিকট ছাড়পত্রের আবেদন করা যাবে।
- খ। বৈদেশিক উৎস হতে পণ্য সরবরাহের ক্ষেত্রে পণ্য সরবরাহের প্রাক্কালে অবশ্যই আমদানী সংক্রান্ত কাগজপত্র, বিল অব লেডিং, শিপিং ডকুমেন্টস প্রদান করতে হবে।
- গ। পণ্যের উৎস দেশ উল্লেখ না থাকলে কিংবা একাধিক উৎস দেশের বেলায় মূল্যোদ্ধৃতি প্রদান কালে অবশ্যই নির্দিষ্ট করে উৎস দেশ উল্লেখ করতে হবে।
- ঘ। দেশীয় মুদ্রায় ক্রয়ের ক্ষেত্রে স্থানীয় উৎস হতে সরবরাহের ক্ষেত্রে ৩০ দিন এবং বৈদেশিক উৎস হতে সরবরাহের ক্ষেত্রে ৯০ দিন অথবা তৎপূর্বে পণ্য সরবরাহ করতে হবে।
- ঙ। সরবরাহ আদেশ প্রদানের প্রাক্কালে মোট মূল্যের উপর ৫% হারে কমান্ড্যান্ট, বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পিএস (পে-অর্ডার) দাখিল করতে হবে। সন্তোষজনকভাবে পণ্য সরবরাহ হওয়ার এবং পরিদর্শনে গৃহীত হওয়ার পর উক্ত পে-অর্ডার ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থতায় দাখিলকৃত পে-অর্ডার বাতিল পূর্বক উক্ত অর্থ সরকারী কোষাগারে জমা করা হবে।
- চ। দেশীয় মুদ্রায় বিল পরিশোধের সময় প্রযোজ্য ক্ষেত্রে ভ্যাট ও আয়কর কর্তন করা হবে।
- ছ। নিম্নলিখিত সনদপত্রের ফটোকপি দরপত্রের সাথে অবশ্যই সংযুক্ত করতে হবেঃ
- ১। ভ্যাট রেজিস্ট্রেশন সনদ
 - ২। টি আই এন সনদ
 - ৩। হালনাগাদ ট্রেড লাইসেন্স

স্থান :

তারিখ : - ২০২১

দরপত্রে অংশগ্রহণকারীর স্বাক্ষর

(বড় অক্ষরে নাম)

সীলমোহর