

ANX 'A'

Tender no: 23.27.0000.166.110.3256105.21.22

Dt. 22 August 2021

SPECIFICATION

Ser	Nomenclature & Specification	A/U	Qty	Rates (in figure & Word)	Rmks
1	Carbon Structural Steel Plate Steel no-45, size: (2438.4 × 1219 × 38) mm, C-0.42~0.50%, Mn-0.50~0.80%, Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min) Country of origin: Any Country	Kg	500		
2	Carbon Structural Steel Round Bar Size : Steel no-45,Dia 100 mm Length : 3 meter (min), C-0.42~0.50%, Mn-0.50~0.80%,Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Group-B Countries	Kg	500		
3	Carbon Structural Steel Round Bar Steel no-45, Size : Dia 75 mm, Length 3 meter (min) C-0.42~0.50%, Mn-0.50~0.80%,Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Any Country	Kg	500		
4	Carbon Structural Steel Round Bar Steel no-45, Size : Dia 25 mm, Length : 3 meter (min) C-0.42~0.50%, Mn-0.50~0.80%,Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Group-B Countries	Kg	500		
5	Carbon Structural Steel Round Bar Steel No. 45, Size : Dia 55 mm, Length : 3 meter (min) C-0.42~0.50%, Mn-0.50~0.80%,Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Group-B Countries	Kg	500		
6	Carbon Structural Steel Round Bar Steel No. 45, Size : Dia 150 mm Length : 1 meter (min) C-0.42~0.50%, Mn-0.50~0.80%,Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² ,	Kg	1000		

Ser	Nomenclature & Specification	A/U	Qty	Rates (in figure & Word)	Rmks
	Elongation : 15% (min), Country of origin: Group-B Countries				
7	Carbon Structural Steel Round Bar Steel no - 45, Size : 38 mm, Length : 1 meter (min) C-0.42~0.50%, Mn-0.50~0.80%, Si-0.17~0.37%, Cr-0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Group-B Countries	Kg	500		
8	M. S. Flat Bar Size : 1½ Inch × 6 mm, Length 3 mtr (min), C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26% ,P<0.04% & S<0.05%, Country of origin: Any Country	Kg	1000		
9	M. S. Flat Bar Size : ¾ Inch × 3mm, Length 3 mtr (min), C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26% ,P<0.04% & S<0.05%, Country of origin: Any Country	Kg	1000		
10	M. S. Flat Bar Size : 1 Inch × 6 mm, Length 3 mtr (min), C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26% ,P<0.04% & S<0.05%, Country of origin: Any Country	Kg	500		
11	M. S Plate Size : 8 ft × 4 ft × 1.5 mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05% Country of origin: Any Country	Kg	1000		
12	M. S. Sheet/ Plate Size : 8 ft × 4 ft × 2 mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05% Country of origin: Any Country	Kg	1000		
13	M. S. Sheet/ Plate Size : 8 ft × 4 ft × 3 mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05% Country of origin: Any Country	Kg	1500		
14	M. S Angle Size : 1 ½ Inch × 1 ½ Inch × 3.2mm (1/8") Length : 5 meter (min), Country of origin: Any Country	Kg	1000		
15	M. S Plate Size : 8 ft × 4 ft × 6mm C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05%, Country of origin: Any Country	Kg	2000		
16	M. S Plate Size : 8 ft × 4 ft × 12~13mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05% Country of origin: Any Country	Kg	4000		
17	M. S Plate Size : 8 ft × 4 ft × 8mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05%, Country of origin: Any Country	Kg	6000		

Ser	Nomenclature & Specification	A/U	Qty	Rates (in figure & Word)	Rmks
18	M. S Plate Size : 8 ft × 4 ft × 25mm, C-0.14~0.20%, Mn-0.6~0.9%, Fe-98.81~99.26%, P<0.04%, S<0.05% Country of origin: Any Country	Kg	300		
19	MS Electrode Size : 3.2 mm × 350 mm, Classification: AWS A5.1-91: E6013, 97±2 Stick/3.0kg(Approx)per packet Country of origin: Any Country	Kg	2000		
20	High Speed Steel Rod Size : Dia 50 mm, Length 1 meter (min) Grade : T1, C : 0.65%~0.80%, Cr : 4%, W : 18%, V : 1%, Mn : 0.1%~0.4%, Si : 0.20%~0.4%. Hardnace : HRC 58~65 (after hardening), Country of origin: Any Country	Kg	100		
21	High Speed Steel Rod Size : Dia 75 mm, Grade : T1, C : 0.65%~0.80%, Cr : 4%, W : 18%, V : 1%, Mn : 0.1%~0.4%, Si : 0.20%~0.4%. Hardnace : HRC 58~65 (after hardening), Country of origin: Any Country	Kg	200		
22	High Speed Steel Rod Size : Dia 25 mm, Length 1 meter (min) Grade : T1, C : 0.65%~0.80%, Cr : 4%, W : 18%, V : 1%, Mn : 0.1%~0.4%, Si : 0.20%~0.4%. Hardnace : HRC 58~65 (after hardening), Country of origin: Any Country	Kg	100		
23	Spring Steel Wire Size : Dia 4 mm, Grade : SAE/ASTM , No-1070, C : 0.65% -0.75%, Mn : 0.6%-0.9%, S : 0.05% (max), P : 0.04% (max) Country of origin: Any Country	Kg	100		
24	Cast Iron Electrode Size : 3.2 mm×350 mm, Classification: AWS EA. 5.15-90 : E-Ni-Cu-B 66±2 Stick/2.0kg(Approx) per packet, Country of origin: Any Country	Meter	410		
25	All Steel Electrode Size- 2.5mm×350mm, Classification: E312-16, 215Stick/3.7kg per packet, Country of origin: Group-A Countries	Kg	55.50		
26	All Steel Electrode Size- 3.2mm×350mm, Classification: E312-16, 130Stick/4.4kg per packet, Country of origin: Group-A Countries	Kg	88		
27	High Speed Steel Square Bar Size : (25×25) mm, Length 1 meter (min) Grade : T1, C : 0.65%~0.80%, Cr : 4%, W : 18%, V : 1%, Mn : 0.1%~0.4%, Si : 0.20%~0.4%. Hardnace : HRC 58~65 (after hardening), Country of origin: Any Country	Kg	500		
28	High Speed Steel Square Bar Size : (52×52) mm, Grade : T1, C : 0.65%~0.80%, Cr : 4%, W : 18%, V : 1%, Mn : 0.1%~0.4%, Si : 0.20%~0.4%.	Kg	500		

Ser	Nomenclature & Specification	A/U	Qty	Rates (in figure & Word)	Rmks
	Hardnace : HRC 58~65 (after hardening), Country of origin: Any Country				
29	Carbon Structural Steel Round Bar Steel no-45, Size : Dia 175 mm, Length 1 meter (min) C-0.42~0.50%, Mn-0.50~0.80%, Si-0.17~0.37%, Cr- 0.05~0.25%, Ni-0.05~0.25%, P<0.04%(max) & S<0.04%(max). HRC: 42~48(after hardening), Tensile Strength : 61kg/mm ² , Elongation : 15% (min), Country of origin: Any Country	Kg	1200		
30	S S Sheet (Non Magnetic) Size : 8ft x 4ft x 1.5 mm, Grade: 304 C-0.08%, Mn-2%, Si-0.75%, P-0.045%, S-0.030%, Cr-18%, Ni-8%, UTS: 75ksi(min), YTS: 30ksi(min), EL: 40%(min), Hardness: B92, Country of origin: Group-B Countries	Kg	1500		

বিঃ দ্রঃ

- ক। পণ্যের উৎস দেশ অবশ্যই উল্লেখ করে দর প্রদান করতে হবে।
- খ। সরবরাহ আদেশের বিপরীতে সরবরাহকৃত পণ্য প্রত্যাখ্যাত হলে প্রতিস্থাপনের বেলায় পণ্যের পুণঃ পরীক্ষার ক্ষেত্রে প্রতিবারের জন্য প্রচলিত হারে সার্ভিস চার্জ প্রদান করতে হবে।
- গ। সরবরাহ আদেশের প্রাক্কালে চব্বতভূৎসবহপ Security (PS) হিসেবে মোট মূল্যের উপর ৫% হারে কম্যান্ড্যান্ট, বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পে-অর্ডার দাখিল করতে হবে। সন্তোষজনকভাবে পণ্য সরবরাহ হওয়ার পর উহা ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থ হলে সরবরাহ আদেশ বাতিল করতঃ দাখিলকৃত পে-অর্ডার বাজেয়াপ্ত করে সরকারী কোষাগারে জমা করা হবে।
- ঘ। উল্লেখিত দর CD & VAT ব্যতীত উল্লেখ করতে হবে।

নিম্নলিখিত সনদপত্রের সত্যায়িত ফটোকপি দরপত্রের সাথে অবশ্যই সংযুক্ত করতে হবে :

- ১। ভ্যাট রেজিস্ট্রেশন সনদ
- ২। টি আই এন সনদ,
- ৩। হালনাগাদ ট্রেড লাইসেন্স

স্থান :
তারিখ :

দরপত্রে অংশগ্রহণকারীর স্বাক্ষর
(বড় অক্ষরে নাম)
সীলমোহর