

Annex- 'A'Tender no23.27.0000.166.131(i).3256105.22.23dt.21-12-2022NECESSARY DETAILS

Ser No	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
1.	<b>Straight Shank End mill Cutter Carbide</b> Ø8×20×60 ; ISO application area: M20-30 (primary), P40(Secondary); (4 Ordinary flutes, square end, Centre Cut) Brand: Kennametal /Kyocera / Sandvik Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	20			
2.	<b>Straight Shank End mill Cutter Carbide</b> Ø12×54×150 ; ISO application area: M20-30 (primary), P40(Secondary); (4 Ordinary flutes, square end, Centre Cut). Brand: Kennametal /Kyocera / Sandvik. Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	10			
3.	<b>Straight Shank End mill Cutter Carbide</b> Ø16×64×150 ; ISO application area: M20-30 (primary), P40(Secondary); (4 Ordinary flutes, square end, Centre Cut) Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	No	10			
4.	<b>Threading Tap</b> M10×1.5 , 1 set=3 pieces Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	Set	10			
5.	<b>Threading Tap</b> M12×1.5 , 1 set=3 pieces Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	Set	10			
6.	<b>Threading Die</b> M10×1.5 , Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	No	10			
7.	<b>Threading Die</b> M12×1.5 Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	No	10			
8.	<b>Center Drill</b> Ø 6×16 Brand: Kennametal /Kyocera / Sandvik Country of Origin: Group-A	No	20			
9.	<b>Honing Stone (with metal cover)</b>	Set	300			

Ser No	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
	9.5*9.5*100 Grade 320; (1 set=4 pieces) Country of Origin: Any Country					
10.	<b>Digital Vernier Caliper</b> 0-200mm,Resolution:0.01mm, Accuracy:±0.02mm, Brand: Insize/ Myook. Country of Origin: Any Country	No	8			
11.	Vernier Caliper 0-600mm, Accuracy: ±0.08 mm Country of Origin: Any Country	No	2			
12.	<b>Outside Micrometer (Interchangeable Anvil type)</b> Range to measure: 150 mm ~300 mm, Accuracy: 9 µm (min) Setting standard to be included: 150 mm, 175 mm, 200 mm, 225 mm, 250 mm, 275 mm, Graduation: 0.01 mm (min), Measuring face: Carbide, Ratchet stop: Must be included, Model: To be mentioned, Brand: In size / Mitutoyo Country of Origin: Any Country	No	1			
13.	<b>Outside Micrometer (Interchangeable Anvil type)</b> Range to measure: 300 mm ~ 400 mm, Accuracy: 11 µm (min), Setting standard to be included: 325 mm, 375 mm, Graduation: 0.01 mm (min), Measuring face: Carbide,Ratchet stop: Must be included, Model: To be mentioned. Brand: Insize / Mitutoyo. Country of Origin: Any Country	No	1			
14.	<b>Outside Micrometer (Interchangeable Anvil type)</b> Range to measure: 500 mm ~ 600 mm, Accuracy: 14 µm (min), Setting standard to be included: 525 mm, 575 mm Graduation: 0.01 mm (min), Measuring face: Carbide, Ratchet stop: Must be included, Model: To be mentioned Brand: Insize / Mitutoyo. Country of Origin: Any Country	No	1			
15.	<b>Tubular Inside Micrometer</b> Range to measure: 50 mm ~ 1000 mm, Accuracy: 4.33 µm (for 50 mm) ~ 32 µm (for 1000 mm), Extension rods to be included: 13 mm, 25 mm, 50mm (2 pcs), 100 mm, 200 mm (2 pcs), 300 mm Micro meter travel: 13 mm (Min) Country of Origin: Any Country	No	1			
16.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 1.0 mm; Flute: 2/4; Helix angle ≥ 30°; Depth of cut maximum:1.5 mm(min), Overall length: 38 mm(min); ISO , pplication area: M20-30 , (primary),P40(Secondary); Brand: Kennametal /Kyocera / Sandvik	No	30			

Ser No	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
	Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A					
17.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 1.5 mm; Flute: 2/4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:2.3 mm(min), Overall length: 38 mm(min); ISO application area: M20-30 (primary), P40(Secondary); Brand: Kennametal /Kyocera / Sandvik , Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	30			
18.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 2.0 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:3.0 mm(min), Overall length: 45 mm(min); ISO application area: M20-30 (primary), P40(Secondary), Brand: Kennametal /Kyocera / Sandvik Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	50			
19.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 2.5 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:3.7 mm(min), Overall length: 45 mm(min); ISO application area: M20-30 (primary), P40(Secondary); Brand: Kennametal /Kyocera / Sandvik Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	50			
20.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 3.0 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:6.0 mm(min), Overall length: 57 mm(min); ISO application area: M20-30 (primary), P40(Secondary); Brand: Kennametal /Kyocera / Sandvik Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	50			
21.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 4.0 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:8.0 mm(min), Overall length: 57 mm(min); ISO application area: M20-30 (primary), P40(Secondary); Brand: Kennametal /Kyocera / Sandvik, Full Product /ISO code including carbide grade must be mentioned	No	50			

Ser No	Nomenclature & Specification	Unit	Qty	Unit Price (In figure & word)	Total Price (In figure & word)	Rmks
	Country of Origin: Group-A					
22.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 5.0 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:10.0 mm(min), Overall length:57mm(min); ISO application area: M20-30 (primary), P40(Secondary), Brand: Kennametal /Kyocera / Sandvik, Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	50			
23.	<b>Solid Carbide Straight Shank Square End mill Cutter</b> DC: 6.0 mm; Flute: 4; Helix angle $\geq 30^\circ$ ; Depth of cut maximum:12.0 mm(min), Overall length:57mm(min); ISO application area: M20-30 (primary), P40(Secondary), Brand: Kennametal /Kyocera / Sandvik, Full Product /ISO code including carbide grade must be mentioned Country of Origin: Group-A	No	40			

### বিঃ দ্রঃ

- ক। উল্লেখিত পণ্য গুলোর দর CD & Vat ব্যতিত উল্লেখ করতে হবে। প্রয়োজন বোধে পণ্য খালাসের জন্য বিওএফ এর নিকট ছাড়পত্রের আবেদন করা যাবে।
- খ। পণ্যের উৎস দেশ উল্লেখ না থাকলে কিংবা একাধিক উৎস দেশের বেলায় মূল্যোদ্ধতি প্রদানকালে অবশ্যই নির্দিষ্ট করে উৎস দেশ উল্লেখ করতে হবে।
- গ। বৈদেশিক উৎস হতে পণ্য সরবরাহের ক্ষেত্রেপণ্য সরবরাহের প্রাক্কালে অবশ্যই আমদানী সংক্রান্ত কাগজপত্র, বিল অব লেডিং, শিপিং ডকুমেন্টস প্রদান করতে হবে।
- ঘ। সরবরাহ আদেশের বিপরীতে সরবরাহকৃত পণ্য প্রত্যাখাত হলে প্রতিস্থাপনের বেলায় পণ্যের পুনঃ পরীক্ষার ক্ষেত্রে প্রতিবারের জন্য প্রচলিত হারে চার্জ প্রদান করতে হবে।
- ঙ। দেশীয় মুদ্রায় ক্রয়ের ক্ষেত্রে স্থানীয় উৎস হতে সরবরাহের ক্ষেত্রে ৯০ দিনএবং বৈদেশিক উৎস হতে সরবরাহের ক্ষেত্রে ১৮০ দিন অথবা তৎপূর্বে পণ্য সরবরাহ করতে হবে।
- চ। সরবরাহ আদেশ প্রদানের প্রাক্কালে মোট মূল্যের উপর ৫% হারে কম্যান্ড্যান্ট বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পিজি (পে-অর্ডার, ডিডি/ব্যাংক গ্যারান্টি) দাখিল করতে হবে। সন্তোষজনক ভাবে পণ্য সরবরাহ হওয়ার পর উহা ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থ হলে সরবরাহ আদেশ বাতিল করতঃ দাখিলকৃত পিজি বাজেয়াপ্ত করে সরকারী কোষাগারে জমা করা হবে।
- ছ। দেশীয় মুদ্রায় বিলপরিশোধের সময় প্রযোজ্য ক্ষেত্রে ভ্যাট ও আয়কর কর্তন করা হবে।
- জ। নিম্নলিখিত সনদ পত্রের সত্যায়িত ফটোকপি দরপত্রের সাথে সংযুক্ত করতে হবে :
- ১। ভ্যাট রেজিস্ট্রেশন সনদ      ২। টি আই এন সনদ      ৩। হালনাগাদ ট্রেড লাইসেন্স

দরপত্রে অংশ গ্রহণকারীর স্বাক্ষর  
(বড় অক্ষরে নাম)  
‘সীলমোহর’

স্থান :  
তারিখ :