

**Annex- 'A'****Tender no 23.27.0000.166.45.4112303.23.24****dt. 16 August 2023****NECESSARY DETAILS**

| <b>Ser No</b> | <b>Nomenclature &amp; Specification</b>   | <b>Unit</b>  | <b>Qty</b>  | <b>Unit price (Taka)<br/>(In figure &amp; word)</b> | <b>Total price (Taka)<br/>(In figure &amp; word)</b> | <b>Rmks</b>  |
|---------------|---|--------------|-------------|---|--|--------------|
| <b>(i)</b>    | <b>(ii)</b>   | <b>(iii)</b> | <b>(iv)</b> | <b>(v)</b>  | <b>(vi)</b>  | <b>(vii)</b> |
| 1             | Magnetic Contactor<br>3 Phase, 380V.125 A. Brand : SIEMENS / CHINT/<br>LS (As per sample)<br>Country of Origin: Any Country   | No           | 50          |   |  |              |
| 2             | Magnetic Contactor<br>35A, 3phase, Coil Voltage: 110V 2NO + 2NC, Model: 22E.Or Equivalent, Brand: SIEMENS/ CHINT/ LS, (As per sample)<br>Country of Origin: Any Country | No           | 20          |   |  |              |
| 3             | Capacitor<br>Size: 2.5 MFD<br>Country of Origin: Group- A   | No           | 500         |   |  |              |
| 4             | Push Button Starter<br>3 P, 380/440V Complete With Overload 07-15A<br>Country of Origin: Any Country  | No           | 10          |   |  |              |
| 5             | AC Magnetic Starter<br>Size: 3 P, 380/440V Complete With Overload 04-6A<br>Country of Origin: Any Country   | No           | 50          |   |  |              |
| 6             | Nylon Cable Tie<br>8 inch<br>Country of Origin: Any Country   | Packet       | 20          |   |  |              |
| 7             | Nylon Cable Tie<br>6 inch<br>Country of Origin: Any Country   | Packet       | 20          |   |  |              |
| 8             | Nylon Cable Tie<br>4 inch<br>Country of Origin: Any Country   | Packet       | 20          |   |  |              |
| 9             | Nylon Cable Tie<br>10 inch<br>Country of Origin: Any Country  | Packet       | 20          |   |  |              |
| 10            | Nylon Cable Tie<br>16 inch<br>Country of Origin: Any Country  | Packet       | 20          |   |  |              |
| 11            | Ebonite Rod<br>Dia : 75 mm, Min Length 1 Meter<br>Cracks, Blowhole, Bubble, Pinhole and other defects are not acceptable<br>Country of Origin: Any Country              | Kg           | 30          |   |  |              |
| 12            | Thermocouple<br>for Drying Oven, PT-100 (As per sample or equivalent)<br>Condition: 1 year warranty should be given by the supplier<br>Country of Origin: Any Country   | No           | 30          |   |  |              |

| Ser No | Nomenclature & Specification   | Unit  | Qty  | Unit price (Taka)<br>(In figure & word) | Total price (Taka)<br>(In figure & word) | Rmks  |
|--------|--|-------|------|---|--|-------|
| (i)    | (ii)   | (iii) | (iv) | (v)                                     | (vi)                                     | (vii) |
| 13     | Thermocouple Extension Cable<br>or Compensating Cable<br>Type: K-Type<br>Description/Specification:<br>a. Mat: Nickle- Chromium (Ni-Cr)<br>b. Temperature Range: 0~11000C<br>(Continuous)<br>c. Core wire dia: SWG 18 or 1.2 mm<br>d. PVC Insulation dia over core wire:<br>2.59 mm<br>e. Cable Cover:<br>i) Shape: Flat<br>ii) Width: 6.25 mm<br>iii) Thickness: 4 mm<br>iv) Number of core pair : 1<br>v) Insulation rating:<br>0°20~150°C(Continuous)<br>Advance sample (6 meter) have to be sent<br>for user test<br>Country of Origin: Group- A | Meter | 30   |   |  |       |
| 14     | Fluid Switch<br>5A, 220/250V<br>Country of Origin: Group- A  | No    | 20   |   |  |       |
| 15     | Proximity Sensor ( NPN)<br>0-36V. DC, Model :LJ124A3-4-Z / BX,<br>Brand: OMRON (As per sample)<br>Country of Origin: Group- A  | No    | 10   |   |  |       |
| 16     | Photo Electric Switch (Sensor)<br>Type: E3S - GS30E4, 10 ~ 30v, DC,<br>200mA Max NPN NO<br>Brand: OMRON, (As per sample)<br>Country of Origin: Group- A  | No    | 10   |   |  |       |
| 17     | Regulator<br>For Ceiling Fan 56", Brand: GFC / BRB<br>Country of Origin: Any Country   | No    | 50   |   |  |       |
| 18     | U-Clamp<br>Size: 12 No<br>Country of Origin: Any Country   | No    | 50   |   |  |       |
| 19     | U-Clamp<br>Size: 18 No<br>Country of Origin: Any Country   | No    | 50   |   |  |       |
| 20     | Magnetic Contactor CJI-150/3TH, 500V<br>Or Equivalent.(As per sample), Brand:<br>CHINT / SIEMENS / LS<br>Country of Origin: Any Country  | No    | 20   |   |  |       |
| 21     | Magnetic Contactor<br>Model: Continuous Current 40A<br>Channel Type, Coil Voltage: 110V AC,<br>Main Contact: 04 NO, Auxiliary Contact 1<br>NO+1 NC, Or Equivalent (As per sample)<br>Country of Origin: Any Country<br>Brand: CHINT / SIEMENS / LS   | No    | 20   |   |  |       |
| 22     | Magnetic Contactor<br>20A, 220V. Model: 22E (As per sample or<br>Equivalent)<br>Brand: CHINT / LS / SIEMENS<br>Country of Origin: Any Country  | No    | 50   |   |  |       |

| Ser No | Nomenclature & Specification   | Unit  | Qty  | Unit price (Taka)<br>(In figure & word) | Total price (Taka)<br>(In figure & word) | Rmks  |
|--------|--|-------|------|---|--|-------|
| (i)    | (ii)   | (iii) | (iv) | (v)                                     | (vi)                                     | (vii) |
| 23     | Magnetic Contactor<br>20A, 110V, Model: 22E. (As per sample or Equivalent)<br>Brand: CHINT / LS / SIEMENS<br>Country of Origin: Any Country  | No    | 50   |   |  |       |
| 24     | Magnetic Contactor<br>20A, 110V, Model: 44E (As per sample or Equivalent) Brand: CHINT / LS / SIEMENS<br>Country of Origin: Any Country  | No    | 20   |   |  |       |
| 25     | LED Flood Light Set<br>Rating : 220V, 100W<br>Country of Origin: Any Country   | No    | 30   |   |  |       |
| 26     | PVC Box For Combined Socket & Switch<br>Size : 4 Inch X 4Inch, Brand: MK/ Super Star/ MEP/ Transtec<br>Country of Origin: Any Country  | No    | 400  |   |  |       |
| 27     | Rubber Bush for Ceiling Fan<br>Country of Origin: Any Country  | No    | 300  |   |  |       |
| 28     | Fuel Filter SE429B/4<br>Dorman, England, Engine: Perkins<br>Country of Origin: Group- A  | No    | 4    |   |  |       |
| 29     | Fuel Filter<br>Part No: 1R 0755, Brand: CATERPILLER, USA<br>(As per sample or Equivalent)<br>Country of Origin: Group- A   | No    | 8    |   |  |       |
| 30     | Oil Filter<br>Part No: 1R 1808, Brand: CATERPILLER, USA<br>(As per sample or Equivalent)<br>Country of Origin: Group- A  | No    | 24   |   |  |       |
| 31     | Deionizer Cartridge<br>Size: P/N 134-1624, Machine Model: HF#2896, 500KW, DT10<br>BANF2460v, 3PH/50Hz/1890v ZControl/RA Water, PIP/RMJK-66101<br>Country of Origin: Any Country                            | No    | 10   |   |  |       |
| 32     | Frequency Converter<br>Model :VFD-075M43A Input: 380-480V, 3Phase.<br>Output: 400-480V, 0-480V. AC. 3Phase, Power: 13.7KVA, 18A<br>0.1-400Hz, (As per sample or Equivalent)<br>Country of Origin: Group- A | No    | 10   |   |  |       |
| 33     | Driving Module<br>For GSK 983M CNC Milling Machine<br>Model: XK 5030, GD 2050 T-NP 1 (As per sample or Equivalent)<br>Country of Origin: Any Country   | No    | 10   |   |  |       |
| 34     | Driving Module<br>For CNC Milling Machine GSK 983M,<br>Machine Model: XK 5025, XK 5030 GD 2075 T-NP 1 (As per sample or Equivalent)<br>Country of Origin: Any Country                                      | No    | 6    |   |  |       |

| Ser No | Nomenclature & Specification  | Unit  | Qty  | Unit price (Taka)<br>(In figure & word) | Total price (Taka)<br>(In figure & word) | Rmks  |
|--------|---|-------|------|---|--|-------|
| (i)    | (ii)  | (iii) | (iv) | (v)                                     | (vi)                                     | (vii) |
| 35     | CNC Control System Milling ADI/ LCD Unit.<br>Model 983Ma-H Controller with later version<br>(As per sample or Equivalent)<br>Including :<br>a. Key Board.<br>b. LCD Unit<br>c. Main Board<br>d. Control Unit / External Hand wheel Box with Necessary Cable.<br>(As per sample or Equivalent)<br>Country of Origin: Any Country | No    | 5    |   |  |       |
| 36     | Power Supply Unit<br>Model : S8JC-Z35024C<br>Input : 220V-240V AC, 50/60Hz, 4.2A<br>Output : 24V DC, 14.6A<br>Brand :OMRON, (As per sample or Equivalent)<br>Country of Origin: Group- A  | No    | 20   |   |  |       |
| 37     | Nozzle Heater<br>for Injection Molding M/C, (As per sample)<br>Size: 40 mm x 40 mm, 230V, 150W<br>Country of Origin: Any Country  | No    | 50   |   |  |       |

### বিঃ দ্রঃ

- ক। উল্লেখিত পণ্যগুলোর দর CD & Vat ব্যতিত উল্লেখ করতে হবে। প্রয়োজনবোধে পণ্য খালাসের জন্য বিওএফ এর নিকট ছাড়পত্রের আবেদন করা যাবে।
- খ। পণ্যের উৎস দেশ উল্লেখ না থাকলে কিংবা একাধিক উৎস দেশের বেলায় মূল্যোদ্ধতি প্রদান কালে অবশ্যই নির্দিষ্ট করে উৎস দেশ উল্লেখ করতে হবে।
- গ। সরবরাহ আদেশের বিপরীতে সরবরাহকৃত পণ্য প্রত্যাখ্যাত হলে প্রতিস্থাপনের বেলায় পণ্যের পুনঃ পরীক্ষার ক্ষেত্রে প্রতিবারের জন্য প্রচলিত হারে চার্জ প্রদান করতে হবে।
- ঘ। দেশীয় মুদ্রায় ক্রয়ের ক্ষেত্রে স্থানীয় উৎস হতে সরবরাহের ক্ষেত্রে ১-৩ মাস এবং বৈদেশিক উৎস হতে সরবরাহের ক্ষেত্রে ১৮০ দিন অথবা তৎপূর্বে পণ্য সরবরাহ করতে হবে।
- ঙ। সরবরাহ আদেশ প্রদানের প্রাক্কালে মোট মূল্যের উপর ৫% হারে কম্যান্ড্যান্ট বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পিজি (পে-অর্ডার,ডিডি/ব্যাংক গ্যারান্টি) দাখিল করতে হবে। সন্তোষজনকভাবে পণ্য সরবরাহ হওয়ার পর উহা ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থ হলে সরবরাহ আদেশ বাতিল করতঃ দাখিলকৃত পিজি বাজেয়াপ্ত করে সরকারী কোষাগারে জমা করা হবে।
- চ। দেশীয় মুদ্রায় বিল পরিশোধের সময় প্রযোজ্য ক্ষেত্রে ভ্যাট ও আয়কর কর্তন করা হবে।
- ছ। নিম্ন লিখিত সনদপত্রের সত্যায়িত ফটোকপি দরপত্রের সাথে সংযুক্ত করতে হবে :

১। ভ্যাট রেজিস্ট্রেশন সনদ ২। টিআইএন (TIN) সনদ ৩। বিআইএন (BIN) সনদ ৪। আইটি (IT) সনদ ৫। হালনাগাদ ট্রেড লা

দরপত্রে অংশ গ্রহণকারীর স্বাক্ষর  
(বড় অক্ষরে নাম)  
'সীলমোহর'

স্থান :  
তারিখ :

