

**DETAILS OF THE MACHINE**

Name of Machine	Specification	A/U	Qty																																																																																																																																																																												
(a)	(b)	(c)	(d)																																																																																																																																																																												
<b>Plastic Injection Molding Machine</b>	Plastic Injection Molding Machine with all standard and additional accessories as per specification below :	No	<b>4 (Four)</b>																																																																																																																																																																												
	<table border="1"> <thead> <tr> <th>Ser</th> <th colspan="2">BOF Requirements / Specification</th> <th></th> </tr> </thead> <tbody> <tr> <td>1.</td> <td colspan="2"><b>Name of machine:</b> Plastic Injection Molding Machine with all standard attachment, accessories, PLC based software and latest version control unit.</td> <td>To be complied</td> </tr> <tr> <td>2.</td> <td colspan="2">Model</td> <td>To be mentioned</td> </tr> <tr> <td>3.</td> <td>Country of origin</td> <td>: Group B</td> <td>To be mentioned</td> </tr> <tr> <td>4.</td> <td>Country of assembly/manufacture</td> <td>: As per country of origin</td> <td>To be complied</td> </tr> <tr> <td>5.</td> <td>Port of shipment</td> <td>: As per country of origin</td> <td>To be complied</td> </tr> <tr> <td>6.</td> <td colspan="2">Name of the manufacturer and Address</td> <td>To be mentioned</td> </tr> <tr> <td>7.</td> <td colspan="2">Name of the principal and Address</td> <td>To be mentioned</td> </tr> <tr> <td>8.</td> <td colspan="2"><b>Purpose:</b> The machines are designed for producing different plastic products using plastic materials like Polyamide-12, High Density Polyethylene (HDPE), Polystyrene etc. The machines will have the capabilities to give Polyamide-12 layer over a product made with Polystyrene. <b>Complete video clip of machine showing its working principle to be submitted with technical offer.</b></td> <td>To be complied</td> </tr> <tr> <td>9.</td> <td colspan="2"><b>Input materials:</b> Polyamide-12, High Density Polyethylene (HDPE), Low Density Polyethylene (LDPE), Polystyrene, Ultramid, Polypropylene, ABS and other similar raw materials.</td> <td>To be complied</td> </tr> <tr> <td>10.</td> <td colspan="2"><b>Output:</b> Products made with input raw materials mentioned in clause 10 using different mold.</td> <td>To be complied</td> </tr> <tr> <td>11.</td> <td colspan="2"><b>Specification</b></td> <td></td> </tr> <tr> <td></td> <td colspan="2"><b>a. Clamping unit</b></td> <td></td> </tr> <tr> <td></td> <td>(1) Clamping force</td> <td>: Min 1600 kN</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(2) Opening stroke</td> <td>: Min 430 mm</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(3) Tie-bars space (HxV)</td> <td>: Min 450 x 420 mm</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(4) Ejection stroke</td> <td>: Min 110 mm</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(5) Ejection force</td> <td>: Min 45 kN</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td colspan="2"><b>b. Injection unit</b></td> <td></td> </tr> <tr> <td></td> <td>(1) Screw diameter</td> <td>: Min 40 mm</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(2) Screw length</td> <td>: Min 22 L/D</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(3) Calculated shot volume</td> <td>: 260 cm<sup>3</sup></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(4) Injection pressure on materials</td> <td>: Min 1800 bar</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(5) Plasticizing rate (HDPE)</td> <td>: Min 24 g/s</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(6) Plasticizing rate (PS)</td> <td>: Min 30 g/s</td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(7) Screw rotation speed</td> <td>: Max 400 min<sup>-1</sup></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(8) Heating zones (+nozzle)</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(9) Total heating power</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td colspan="2"><b>c. Drive and connection</b></td> <td></td> </tr> <tr> <td></td> <td>(1) Oil capacity</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(2) H<sub>2</sub>O requirement (at 30 C) for oil cooling</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(3) Electric motor power</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>(4) Total installed power</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td>12.</td> <td colspan="2"><b>Additional accessories</b></td> <td></td> </tr> <tr> <td></td> <td>a. Hopper along with hopper dryer (Range: Room temp ~ 200°C) - 1 set for each machine</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>b. Standard water supply system for cooling the machine - 1 set for each machine</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td></td> <td>c. Standard chiller compatible with the machines - 1 set for each machine</td> <td></td> <td>To be mentioned</td> </tr> <tr> <td>13</td> <td colspan="2">Year of manufacturer: Year of manufacture of machine will not be before the year of contract.</td> <td>To be complied</td> </tr> <tr> <td>14.</td> <td colspan="2"><b>Latest feature and technology (if any)</b></td> <td>To be mentioned</td> </tr> <tr> <td>15.</td> <td colspan="2"><b>Main machine</b></td> <td></td> </tr> <tr> <td></td> <td colspan="2">a. Basic machines with all standard accessories and attachment.</td> <td>To be provided</td> </tr> <tr> <td></td> <td colspan="2">b. Automatic voltage regulator (AVR) if required to be provided with the machine synchronized with the rating of the supplied machine (from Group B country).</td> <td>To be provided</td> </tr> <tr> <td></td> <td colspan="2">c. Detail specification of all mechanical, electrical and electronic components of the machines should be provided along with the machines.</td> <td>To be provided</td> </tr> </tbody> </table>	Ser	BOF Requirements / Specification			1.	<b>Name of machine:</b> Plastic Injection Molding Machine with all standard attachment, accessories, PLC based software and latest version control unit.		To be complied	2.	Model		To be mentioned	3.	Country of origin	: Group B	To be mentioned	4.	Country of assembly/manufacture	: As per country of origin	To be complied	5.	Port of shipment	: As per country of origin	To be complied	6.	Name of the manufacturer and Address		To be mentioned	7.	Name of the principal and Address		To be mentioned	8.	<b>Purpose:</b> The machines are designed for producing different plastic products using plastic materials like Polyamide-12, High Density Polyethylene (HDPE), Polystyrene etc. The machines will have the capabilities to give Polyamide-12 layer over a product made with Polystyrene. <b>Complete video clip of machine showing its working principle to be submitted with technical offer.</b>		To be complied	9.	<b>Input materials:</b> Polyamide-12, High Density Polyethylene (HDPE), Low Density Polyethylene (LDPE), Polystyrene, Ultramid, Polypropylene, ABS and other similar raw materials.		To be complied	10.	<b>Output:</b> Products made with input raw materials mentioned in clause 10 using different mold.		To be complied	11.	<b>Specification</b>				<b>a. Clamping unit</b>				(1) Clamping force	: Min 1600 kN	To be mentioned		(2) Opening stroke	: Min 430 mm	To be mentioned		(3) Tie-bars space (HxV)	: Min 450 x 420 mm	To be mentioned		(4) Ejection stroke	: Min 110 mm	To be mentioned		(5) Ejection force	: Min 45 kN	To be mentioned		<b>b. Injection unit</b>				(1) Screw diameter	: Min 40 mm	To be mentioned		(2) Screw length	: Min 22 L/D	To be mentioned		(3) Calculated shot volume	: 260 cm <sup>3</sup>	To be mentioned		(4) Injection pressure on materials	: Min 1800 bar	To be mentioned		(5) Plasticizing rate (HDPE)	: Min 24 g/s	To be mentioned		(6) Plasticizing rate (PS)	: Min 30 g/s	To be mentioned		(7) Screw rotation speed	: Max 400 min <sup>-1</sup>	To be mentioned		(8) Heating zones (+nozzle)		To be mentioned		(9) Total heating power		To be mentioned		<b>c. Drive and connection</b>				(1) Oil capacity		To be mentioned		(2) H <sub>2</sub> O requirement (at 30 C) for oil cooling		To be mentioned		(3) Electric motor power		To be mentioned		(4) Total installed power		To be mentioned	12.	<b>Additional accessories</b>				a. Hopper along with hopper dryer (Range: Room temp ~ 200°C) - 1 set for each machine		To be mentioned		b. Standard water supply system for cooling the machine - 1 set for each machine		To be mentioned		c. Standard chiller compatible with the machines - 1 set for each machine		To be mentioned	13	Year of manufacturer: Year of manufacture of machine will not be before the year of contract.		To be complied	14.	<b>Latest feature and technology (if any)</b>		To be mentioned	15.	<b>Main machine</b>				a. Basic machines with all standard accessories and attachment.		To be provided		b. Automatic voltage regulator (AVR) if required to be provided with the machine synchronized with the rating of the supplied machine (from Group B country).		To be provided		c. Detail specification of all mechanical, electrical and electronic components of the machines should be provided along with the machines.		To be provided		
	Ser	BOF Requirements / Specification																																																																																																																																																																													
	1.	<b>Name of machine:</b> Plastic Injection Molding Machine with all standard attachment, accessories, PLC based software and latest version control unit.		To be complied																																																																																																																																																																											
	2.	Model		To be mentioned																																																																																																																																																																											
	3.	Country of origin	: Group B	To be mentioned																																																																																																																																																																											
	4.	Country of assembly/manufacture	: As per country of origin	To be complied																																																																																																																																																																											
	5.	Port of shipment	: As per country of origin	To be complied																																																																																																																																																																											
	6.	Name of the manufacturer and Address		To be mentioned																																																																																																																																																																											
	7.	Name of the principal and Address		To be mentioned																																																																																																																																																																											
	8.	<b>Purpose:</b> The machines are designed for producing different plastic products using plastic materials like Polyamide-12, High Density Polyethylene (HDPE), Polystyrene etc. The machines will have the capabilities to give Polyamide-12 layer over a product made with Polystyrene. <b>Complete video clip of machine showing its working principle to be submitted with technical offer.</b>		To be complied																																																																																																																																																																											
	9.	<b>Input materials:</b> Polyamide-12, High Density Polyethylene (HDPE), Low Density Polyethylene (LDPE), Polystyrene, Ultramid, Polypropylene, ABS and other similar raw materials.		To be complied																																																																																																																																																																											
	10.	<b>Output:</b> Products made with input raw materials mentioned in clause 10 using different mold.		To be complied																																																																																																																																																																											
	11.	<b>Specification</b>																																																																																																																																																																													
		<b>a. Clamping unit</b>																																																																																																																																																																													
		(1) Clamping force	: Min 1600 kN	To be mentioned																																																																																																																																																																											
		(2) Opening stroke	: Min 430 mm	To be mentioned																																																																																																																																																																											
		(3) Tie-bars space (HxV)	: Min 450 x 420 mm	To be mentioned																																																																																																																																																																											
		(4) Ejection stroke	: Min 110 mm	To be mentioned																																																																																																																																																																											
		(5) Ejection force	: Min 45 kN	To be mentioned																																																																																																																																																																											
		<b>b. Injection unit</b>																																																																																																																																																																													
		(1) Screw diameter	: Min 40 mm	To be mentioned																																																																																																																																																																											
		(2) Screw length	: Min 22 L/D	To be mentioned																																																																																																																																																																											
		(3) Calculated shot volume	: 260 cm <sup>3</sup>	To be mentioned																																																																																																																																																																											
		(4) Injection pressure on materials	: Min 1800 bar	To be mentioned																																																																																																																																																																											
		(5) Plasticizing rate (HDPE)	: Min 24 g/s	To be mentioned																																																																																																																																																																											
		(6) Plasticizing rate (PS)	: Min 30 g/s	To be mentioned																																																																																																																																																																											
	(7) Screw rotation speed	: Max 400 min <sup>-1</sup>	To be mentioned																																																																																																																																																																												
	(8) Heating zones (+nozzle)		To be mentioned																																																																																																																																																																												
	(9) Total heating power		To be mentioned																																																																																																																																																																												
	<b>c. Drive and connection</b>																																																																																																																																																																														
	(1) Oil capacity		To be mentioned																																																																																																																																																																												
	(2) H <sub>2</sub> O requirement (at 30 C) for oil cooling		To be mentioned																																																																																																																																																																												
	(3) Electric motor power		To be mentioned																																																																																																																																																																												
	(4) Total installed power		To be mentioned																																																																																																																																																																												
12.	<b>Additional accessories</b>																																																																																																																																																																														
	a. Hopper along with hopper dryer (Range: Room temp ~ 200°C) - 1 set for each machine		To be mentioned																																																																																																																																																																												
	b. Standard water supply system for cooling the machine - 1 set for each machine		To be mentioned																																																																																																																																																																												
	c. Standard chiller compatible with the machines - 1 set for each machine		To be mentioned																																																																																																																																																																												
13	Year of manufacturer: Year of manufacture of machine will not be before the year of contract.		To be complied																																																																																																																																																																												
14.	<b>Latest feature and technology (if any)</b>		To be mentioned																																																																																																																																																																												
15.	<b>Main machine</b>																																																																																																																																																																														
	a. Basic machines with all standard accessories and attachment.		To be provided																																																																																																																																																																												
	b. Automatic voltage regulator (AVR) if required to be provided with the machine synchronized with the rating of the supplied machine (from Group B country).		To be provided																																																																																																																																																																												
	c. Detail specification of all mechanical, electrical and electronic components of the machines should be provided along with the machines.		To be provided																																																																																																																																																																												

(a)	(b)		(c)	(d)																																							
	d. Soft and hard copy of machine software with upload and download procedure should be provided with the machines.	To be provided																																									
	e. Fast-moving spare parts for each machine should be provided with the machines and list including price will be submitted by the bidder with the offer.	To be provided																																									
	f. 2×operation and programming manual in English (hard and soft copy) will have to provide along with the machines.	To be provided																																									
	g. 2×maintenance operation and programming manual in English (hard and soft copy) will have to provide along with the machines.	To be provided																																									
16.	<b>Training and pre-shipment inspection (PSI) at supplier's site</b>																																										
	a. 04 (Four) days PSI (excluding journey period) of 03 (Three) persons will be carried out under BOF arrangement. All cost of the PSI to be borne by supplier.	To be complied																																									
	b. Supplier must submit details plan of PSI and Training (Modus Operandi).	To be provided																																									
	c. PSI and Training cost at supplier's end to be mentioned by the supplier along with the offer.	To be mentioned																																									
17.	<b>Post installation requirement at BOF</b>																																										
	a. It is the responsibility of supplier to fully integrate, erect and commission the machines at BOF's identified site/ room. Machine installation and commissioning is to be provided by the certified engineers of machine manufacturer from same country or at least same group of countries at BOF site within 30 days after receiving machines by BOF.	To be complied																																									
	b. BOF only provides utility service up to near proximity. All other related equipment, connections, fittings, hydraulic oil, lubricants or any related things required for successful installation and running of the machine will be provided by the supplier.	To be complied																																									
	c. Supplier shall bring all necessary calibration standards and calibration equipment for ensuring the machines accuracy with valid traceability certificates at BOF site.	To be complied																																									
	d. Trial run, trial production followed by operational and maintenance training {minimum 7 (Seven) working days} of BOF personnel by the certified engineers of machine manufacturer from same country or at least from same group of countries at BOF site to be provided after installation and commissioning of the machines.	To be complied																																									
	e. Trial production of at least 2500 nos products (with each mold mentioned in clause 20.f.) at BOF site should be given by the machine supplier. Required raw materials for trial production will be provided by BOF.	To be complied																																									
	f. The training should cover complete operation, application, software usage (if required) in all aspects of measurement and data analysis, part programming for required products, calibration, basic and preventive maintenance and troubleshooting etc. Supplier must submit day wise local training plan along with the offer. Following information must be given as below:	To be complied																																									
	<table border="1"> <thead> <tr> <th data-bbox="327 1321 395 1366">Ser</th> <th colspan="2" data-bbox="399 1321 726 1366">Items</th> <th data-bbox="729 1321 944 1366">Responsible (Supplier/BOF)</th> <th data-bbox="948 1321 1163 1366">Duration</th> </tr> <tr> <th data-bbox="327 1370 395 1404">(a)</th> <th colspan="2" data-bbox="399 1370 726 1404">(b)</th> <th data-bbox="729 1370 944 1404">(c)</th> <th data-bbox="948 1370 1163 1404">(d)</th> </tr> </thead> <tbody> <tr> <td data-bbox="327 1408 395 1442">1.</td> <td colspan="2" data-bbox="399 1408 726 1442">Site preparation</td> <td data-bbox="729 1408 944 1442">BOF and supplier</td> <td data-bbox="948 1408 1163 1442">To be mentioned</td> </tr> <tr> <td data-bbox="327 1447 395 1480">2.</td> <td colspan="2" data-bbox="399 1447 726 1480">Installation and commissioning</td> <td data-bbox="729 1447 944 1480">Supplier</td> <td data-bbox="948 1447 1163 1480">To be mentioned</td> </tr> <tr> <td data-bbox="327 1485 395 1518">3.</td> <td colspan="2" data-bbox="399 1485 726 1518">Trial run</td> <td data-bbox="729 1485 944 1518">Supplier</td> <td data-bbox="948 1485 1163 1518">To be mentioned</td> </tr> <tr> <td data-bbox="327 1523 395 1556">4.</td> <td colspan="2" data-bbox="399 1523 726 1556">Trial production</td> <td data-bbox="729 1523 944 1556">Supplier</td> <td data-bbox="948 1523 1163 1556">To be mentioned</td> </tr> <tr> <td data-bbox="327 1561 395 1594" rowspan="2">5.</td> <td data-bbox="399 1561 518 1594">Training</td> <td data-bbox="521 1561 726 1594">Functional training</td> <td data-bbox="729 1561 944 1594">Supplier and foreign trainer</td> <td data-bbox="948 1561 1163 1594">To be mentioned</td> </tr> <tr> <td data-bbox="399 1599 518 1632"></td> <td data-bbox="521 1599 726 1632">Repair and maintenance training</td> <td data-bbox="729 1599 944 1632">Supplier and foreign trainer</td> <td data-bbox="948 1599 1163 1632">To be mentioned</td> </tr> </tbody> </table>	Ser	Items		Responsible (Supplier/BOF)	Duration	(a)	(b)		(c)	(d)	1.	Site preparation		BOF and supplier	To be mentioned	2.	Installation and commissioning		Supplier	To be mentioned	3.	Trial run		Supplier	To be mentioned	4.	Trial production		Supplier	To be mentioned	5.	Training	Functional training	Supplier and foreign trainer	To be mentioned		Repair and maintenance training	Supplier and foreign trainer	To be mentioned			
Ser	Items		Responsible (Supplier/BOF)	Duration																																							
(a)	(b)		(c)	(d)																																							
1.	Site preparation		BOF and supplier	To be mentioned																																							
2.	Installation and commissioning		Supplier	To be mentioned																																							
3.	Trial run		Supplier	To be mentioned																																							
4.	Trial production		Supplier	To be mentioned																																							
5.	Training	Functional training	Supplier and foreign trainer	To be mentioned																																							
		Repair and maintenance training	Supplier and foreign trainer	To be mentioned																																							
18.	<b>After Sales Support</b>																																										
	a. Supplier should guarantee the availability of spares, software/ firmware updates and additional add-on modules for at-least 10 years from date of expiry of warranty.	To be complied																																									
	b. Customer support facility shall be made available for at least 05 (five) years after expiry of the guarantee period.	To be complied																																									
	c. Online remote diagnostic till the machine life/ online help for maintenance application to be provided (if available).	To be complied																																									
	d. Online help support for system queries/ application support to be provided (If available).	To be complied																																									
	e. Service personnel to response any fault within 3 days after receipt of the information, whenever called for during warranty period.	To be complied																																									

(a)	(b)	(c)	(d)
	f. If any software update, license key is required for the machine, supplier must provide this for machine's lifetime free of cost. Remote or system locking of the machine using software and password is not allowed. If done so, BOF will have the authority to reject the machine.	To be complied	
19.	<b>Warranty</b>		
	a. The machine shall have warranty for a minimum period of 12 (twelve) months or more after commissioning for defect free operation and specified accuracies at our site.	To be complied	
	b. Any defect observed during the warranty period shall be replaced/ repaired free of cost with minimum down time (30 days). All the software updates during the warranty period shall be supplied, installed and trained to our personnel on real time basis at free of cost.	To be complied	
20.	<b>Other terms and conditions</b>		
	a. 01 (one) spare set of each electronic mother-board, CPU, I/O card, communication cable and other related cards with separate price list should be provided along with the offer.	To be provided	
	b. Separate price offer for complete Injection Molding Machine with required standard attachments, accessories, hand tools etc, additional accessories (clause 12) and standard control unit & PLC base software or latest version software with should be provided with the offer.	To be provided	
	c. Separate price offers for each optional attachment, accessories, spares and the items mentioned in the indent should be provided along with the offer.	To be provided	
	e. List of standard and optional attachment and accessories, list of hand tools should be provided separately along with the offer.	To be provided	
	f. The supplied machine should be compatible with the die-mold of following size: Mold 01: 350x360x400 mm Mold 02: 350x251x227 mm Mold 03: 308x300x400 mm	To be complied	
	g. List of vendor items (if any) should be provided along with the offer.	To be provided	
	h. The machine should be capable of giving Polyamide-12 layer on Polystyrene-143E.	To be complied	
	j. PSI and Local/Foreign Training should be done as per BOF policy.	To be complied	
	k. The manufacturer's name and address must be mentioned in the offer if the principal/ firm is a trading house/ general order supplier.	To be mentioned	
	l. Certificate of assurance from original manufacturer of appointed dealer of manufacturer or appointed dealer of manufacture (along with dealership certificate) for supply of offered stores is to be provided, if the principal is a trading house/ general order supplier.	To be provided	
	m. Certificate of authority by the principal about appointment of local agent to submit the bid and signing of contract on his behalf is to be provided.	To be provided	
	n. Supplier should submit original leaflet/ brochure with the offer.	To be complied	
	p. Lowest bidder will be selected except clause no. 20(a) and 20(c) of this tender.	To be complied	
	q. Supplier must submit the copy of educational and experience certificate of foreign trainer (experienced on the above mentioned machine) along with the copy of passport and biodata prior to security clearance.	To be complied	
21.	Offer Validity : 180 days	To be complied	

### **Terms and Conditions**

Supplier must mention their compliance on the following mentioned points :

1. A principal/manufacture can submit **only one offer through one local agent** for any individual item. Offers through multiple local agents by same principle/manufacture will be **treated as rejected**.
2. To ensure unhindered LC handling the principal must provide a certificate to confirm that their LC operating bank has RMA (Relationship Management Agreement) with the local scheduled Banks of Bangladesh.
3. Supplier must **clearly mention** (in the technical offer) that as principal/manufacture they poses necessary **export permit** from the concern ministry or Chamber of Commerce of their country. They must also submit a certificate in this regards as per the attached specimen format at **Annex F**.
4. Before signing the contract, in Foreign Currency Performance Guarantee @ 10% of total LC value is to be submitted by the Principal in favour of Commandant, Bangladesh Ordnance Factories, Gazipur Cantonment, Gazipur through any scheduled Bank located in Bangladesh (**As per the format at Annex D**).
5. A separate **certificate should be provided** by the principal **originally signed** (Computerized or digitally edited signature will not be accepted) stating that they are aware of the requirement of the PG and if the contract is awarded they will be bound to provide the PG as per **the format at Annex E**, otherwise administrative action will be taken against the principal and local agent.

6. **End User Certificate (EUC)** will have to be submitted **(As per the format at Annex H)**.
7. The stores should be supplied to BOF at **supplier's cost**.
8. On arrival of the stores at BOF, the supplier must complete installation, commissioning, trial run & trial production within 01(one) month (from the date of entry at BOF). Otherwise, penalty will be imposed at the rate of 2% but not less than 1% and will not exceed 10% of the total CFR/LC vale (As applicable).
9. If the supplier fails to deliver the stores within the stipulated period, the followings will be applicable:
  - a. Cancel the contract and/or,
  - b. Decision at the discretion of BOF.
10. Inspectorate is the authority in all matters pertaining to Inspection. Any verdict by the inspectors regarding rejection, acceptance, and /or deviation of machine involving price reduction will be treated as final and will not be subject to arbitration.
11. The Supplier must submit the following **attested documents** with the schedule :
  - (a) Trade License
  - (b) Tin Certificate
  - (c) Upto date VAT Registration certificate.