

DETAILS SPECIFICATION

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
1	Parting Tool Shank with Insert Shank: LF123G20-2020B Insert: L123G2-0300-0502-CM 1125 (1 Set =Shank :1 No, Insert: 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	10		
2	Parting Tool Shank with Insert Shank: L218.2525.03 Insert: LS229.0530.32 TN35 (1 Set =Shank: 1 No, Insert :30 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
3	Parting Tool Shank with Profiling & Threading Insert Shank: L226.2525.03 Insert: 229.0015.30 TN35 Insert: L229.0712.01 TN35 (1 Set =Shank :1 No, Insert :20 Nos each type) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
4	Turning Tool Shank with Insert Shank: SVJBL 2020K 11-B1 Insert: VBMT 11 03 04-PF (1 Set = Shank: 1 No, Insert: 30 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	10		

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
5	Turning Tool Shank with Insert Shank: QS-TR-V13JBL 2020HP Insert: TR-VB1304-F (1 Set = Shank :1 No, Insert :30 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
6	Turning Tool Shank with Insert Shank: DCLNL 2020K 12 Insert: CNMG 12 04 08-WF4315 (1 Set= Shank :1 No, Insert :20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
7	Turning Tool Shank with Insert Insert: WNMG 06 04 08-WF 4315 (1 Set= Turning Tool Shank:1 No, Insert: 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
8	Solid carbide micro twist drills DB130-05-00.310U0-WJ30UU (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	No	50		

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
9	<p>Solid carbide drill with coolant-through DC160-16-03.572A1-WJ30EU(Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera, Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	No	50		
10	<p>Solid carbide drill with coolant through DC160-08-05.400A1-WJ30ET(Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	No	50		
11	<p>Solid carbide drill with coolant-through DC160-08-06.000A1-WJ30ET (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	No	50		
12	<p>Solid carbide drill with coolant-through DC160-08-07.000A1-WJ30ET (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand:Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	No	50		
13	<p>Coro Drill with Tip (Exchangeable tip drill) Drill: 870-1400-14L20-10 Tip: 870-1400-14-PM (1 Set= Coro Drill :1 No, Tip = 5 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
14	<p>Coro Drill with Tip (Exchangeable tip drill) Coro Drill: 870-1700-17L20-10 Tip: 870-1750-17-PM (1 Set= Coro Drill: 1 No, Tip: 5 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		
15	<p>Coro Drill Insert WPMT 040208-PF (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	No	100		
16	<p>Coro Drill with Tip (Exchangeable tip drill) Drill: 870-2000-20L25-8 Tip: 870-2000-20-GP (1 Set=Coro Drill: 1 No, Tip: 5 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		
17	<p>Coro Drill with Tip (Exchangeable tip drill) Drill: 870-2500-25L32-8 Tip: 870-2500-25-GP 4334 (1 Set= Coro Drill: 1 No, Tip: 5 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Walter/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
18	<p>Boring Bar with Insert Bar: E05H-SWLPL 02-R Insert: WPMT 02 01 02-PF 4215 (1 Set= Boring Bar:1 No, Insert: 10 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera . Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		
19	<p>Boring Bar with Insert Boring Bar: E08K-SWLPL 02-R Insert: WPMT 02 01 04-PF 4215 (1 Set= Boring Bar: 1 No, Insert: 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera . Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	10		
20	<p>Boring Bar with Insert. Bar: E10M-SWLPL 04-R Insert: WPMT 04 02 04-PF 4215 (1 Set = Boring Bar: 1 No & Insert = 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera . Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	5		
21	<p>Boring Bar with Insert Bar: E16R-SCLCL 06-R Insert: CCMT 06 02 04-WF 4315 (1 Set= Boring Bar: 1 No & Insert: 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel. The supplied tools must be capable of producing good quality products. Brand: Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/Kyocera . Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.</p>	Set	5		

Ser	Name of item & Specification	Unit	Qty	Unit Price (In Figure & Word)	Total Price (In Figure & Word)
(a)	(b)	(c)	(d)	(e)	(f)
22	Boring Bar with Insert, Bar: E20S-SCLCL 09-R Insert: CCMT 09 T3 08-WF (1 Set= Boring Bar: 1 No, Insert: 20 Nos) (Best quality) Tools to be used for: High Speed Steel, Carbon Tool Steel, Carbon Structural Steel.The supplied tools must be capable of producing good quality products. Brand:Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/Horn/K yocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	Set	5		
23	Boring Bar Holder, E1-30x32, (Best quality) Brand:Wto/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/H orn/Kyocera.Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	No	5		
24	Boring Bar Holder, E1-30x25 (Best quality) Brand:Wto/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/H orn/Kyocera.Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	No	5		
25	Boring Bar Holder, E1-30x20 (Best quality) Brand:Wto/Sandvik/Seco/Kennametal/Mitsubishi/Ceratizit/H orn/Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	No	5		
26	Parting Insert Holder, CFSL 2525M03(Best quality) Brand: Seco/Sandvik/ Kennametal/Mitsubishi/Ceratizit/Horn/ Kyocera. Manufacture and Shipment: Group A. Supplier must submit letter of Authorization from the original manufacturer.	No	15		
All items country of origin: Group A					

বিঃ দ্রঃ

ক। উল্লেখিত দর CD & Vat ব্যতিত দাখিল করতে হবে। প্রয়োজনবোধে পণ্য খালাসের জন্য বিওএফ এর নিকট ছাড়পত্রের আবেদন করা যাবে।

খ। দরপত্র দাখিলের সময় টেকনিক্যাল এবং ফিন্যান্সিয়াল অফার আলাদা খামে দাখিল করতে হবে।

গ। বৈদেশিক উৎস হতে পণ্য সরবরাহের ক্ষেত্রে পণ্য সরবরাহের প্রাক্কালে অবশ্যই আমদানী সংক্রান্ত কাগজপত্র, বিল অব লোডিং, শিপিং ডকুমেন্টস প্রদান করতে হবে।

ঘ। পণ্যের উৎস দেশ উল্লেখ না থাকলে কিংবা একাধিক উৎস দেশের বেলায় মূল্যোদ্ধতি প্রদান কালে অবশ্যই নির্দিষ্ট করে উৎস দেশ উল্লেখ করতে হবে।

ঙ। সরবরাহ আদেশের বিপরীতে সরবরাহকৃত পণ্য প্রত্যাখ্যাত হলে প্রত্যাখ্যাত পণ্য ফেরতযোগ্য নয় যা বাজেয়াপ্ত হবে।

চ। দেশীয় মুদ্রায় ক্রয়ের ক্ষেত্রে স্থানীয় উৎস হতে সরবরাহের ক্ষেত্রে ৯০ দিন এবং বৈদেশিক উৎস হতে সরবরাহের ক্ষেত্রে ১৮০ দিন অথবা তৎপূর্বে পণ্য সরবরাহ করতে হবে।

ছ। সরবরাহ আদেশ প্রদানের প্রাক্কালে মোট মূল্যের উপর ৫% হারে কম্যান্ড্যান্ট বিওএফ গাজীপুর ক্যান্ট এর অনুকূলে পিএস (পে-অর্ডার) দাখিল করতে হবে। সন্তোষজনকভাবে আলোচ্য পণ্যসমূহ সরবরাহ এবং পরিদর্শনে গৃহীত হবার পর উক্ত পে-অর্ডার ফেরৎ প্রদান করা হবে। পণ্য সরবরাহে ব্যর্থতায় দাখিলকৃত পে-অর্ডার বাতিল পূর্বক উক্ত অর্থ সরকারী কোষাগারে জমা করা হবে।

জ। নিম্নেলিখিত সনদপত্রের সত্যায়িত ফটোকপি দরপত্রের সাথে সংযুক্ত করতে হবে :

১। ভ্যাট রেজিস্ট্রেশন সনদ

২। টি আই এন সনদ

৩। হালনাগাদ ট্রেড লাইসেন্স

দরপত্রে অংশ গ্রহণকারীর স্বাক্ষর

(বড় অক্ষরে নাম)

সীলমোহর

স্থানঃ

তারিখঃ